


## Dräger X-plore® Rd90 Filters Filter

Clean air for tough jobs. The filters of the Dräger X-plore® Rd90 series protect from hazardous gases and vapors, have a long life and can be used for many different masks.



## Benefits

---

### Extensive filter range

The X-plore Rd90 filter series offers an extensive range of various filter types for all major applications and protects against many gases and vapors.

---

### Universal fit

The filters have been designed for use in the Dräger half masks, X-plore® 4390 and 4790. With the 40/90 filter box adapter they can also be used for any mask with a Rd40 connection in accordance with EN 148-1.

---

### Long life

The gas filters and combination filters have a shelf-life of 6 years and the particle filters a shelf life of 12 years from date of manufacture.

---

### Individual packaging

The filters are packed individually to ensure optimum protection of the unused filter.

---

### Supporting filter selection

The Dräger VOICE database of hazardous substances offers comprehensive support for selecting filters ([www.draeger.com/voice](http://www.draeger.com/voice)).

---

### Aluminum housing

The aluminum housing ensures that any damage to the filter is easily detected, therefore providing extra security.

---

### CE marking

All filters are CE-marked in accordance with EN 14387 and/or EN 143.

---

### Rd40 thread connection

The filters are suitable for use with half and full face masks with standard thread connection Rd40 according to EN 148-1.

## Technical Data

### FILTER COLOUR CODING

Color	Filter Type	Main field of application
Brown	A	Gases and vapors of organic compounds with boiling point > 65 °C
Grey	B	inorganic gases and vapors, e.g. chlorine, hydrogen sulphide, hydrogen cyanide
Yellow	E	Sulphur dioxide, hydrogen chloride
Green	K	Ammonia
Red	Hg	Mercury vapor
White	P	Particles

## Ordering Information

Filter Type	Packing Unit (pc.)	Weight	Order Code
<b>Particle Filters</b>			
990 Coarse dust filter	50	2 g	67 36 705
990 P2 R	5	35 g	67 37 357
990 P3 R	5	35 g	67 37 190
<b>Gas Filters</b>			
990 A1	5	80 g	67 38 865
990 A2	5	115 g	67 38 866
990 A1B1E1K1	5	160 g	67 38 810
<b>Combination Filters</b>			
990 A1 P2 R D	5	90 g	67 38 867
990 A1 P3 R D	5	90 g	67 38 869
990 A2 P3 R D	5	125 g	67 38 870
990 A1B1 P2 R D	5	100 g	67 38 774
990 A2B2 P2 R D	5	165 g	67 38 771
990 A2B2 P3 R D	5	175 g	67 38 773
990 B1E1 P2 R D	5	100 g	67 38 770
990 A1B1E1K1 P2 R D	5	165 g	67 38 811
990 A1B1E1K1 Hg P3 R D	5	170 g	67 38 812
<b>Accessories</b>			
Filterbox 40/90 (Adapter)	5	45 g	R 55 015

Marking D: for successfully passed dolomite test

Marking R: Reusable – protection for more than one work shift

## Notes

### **CORPORATE HEADQUARTERS**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
[www.draeger.com](http://www.draeger.com)

### **REGION EUROPE CENTRAL AND EUROPE NORTH**

Dräger Safety AG & Co. KGaA  
Revalstraße 1  
23560 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

### **REGION EUROPE SOUTH**

Dräger Safety France SAS  
25, rue Georges Besse  
92182 Antony Cedex  
Tel +33 1 46 11 56 00  
Fax +33 1 40 96 97 20  
[europa.south@draeger.com](mailto:europa.south@draeger.com)

### **REGION MIDDLE EAST, AFRICA**

Dräger Safety AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

### **REGION ASIA PACIFIC**

Draeger Safety Asia Pte Ltd  
25 International Business Park  
#04-20/21 German Centre  
Singapore 609916  
Tel +65 6308 9400  
Fax +65 6308 9401  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

### **REGION CENTRAL AND SOUTH AMERICA**

Dräger Panama S. de R.L.  
Complejo Business Park,  
V tower, 10th floor  
Panama City  
Tel +507 377 9100  
Fax +507 377 9130  
[contactcsa@draeger.com](mailto:contactcsa@draeger.com)

Locate your Regional  
Sales Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

